


- NOTE:**
1. LOCATE ALL TUNDISHES (TD) 150mm ABOVE FLOOR LEVEL (FINAL LOCATION TO BE APPROVED BY ARCHITECTS PRIOR TO INSTALLATION)
  2. THE SURFACE LEVELS OF ALL SUMPS SHALL MATCH THE FINISHED LEVELS DETERMINED BY THE LANDSCAPE ARCHITECT.
  3. ALL PIPEWORK SHALL BE GRADE AT MIN 1% FALL UNO.

- FIRST FLUSH DEVICES AND STORAGE
- DUAL SUBMERSIBLE PUMPS
- RAINWATER COLLECTION AND STORAGE TANK
- ON SITE STORMWATER COLLECTION AND STORAGE TANK TOP OF TANK R.L. 20.60
- RHEEM TANKPAC CONTINUOUS FLOW GAS HOT WATER HEATER COMPLETE WITH:  
 1XRHEEM CONTINUOUS FLOW COMMERCIAL HOT WATER HEATER (205 MJ)  
 1x610340 COMMERCIAL HOT WATER STORAGE CYLINDER  
 1xGRUNDFOSS UPS 32-80N PRIMARY CIRCULATOR  
 1xDIGITAL CONTROLLER.

TANKS, REFER TO STRUCTURAL ENGINEER'S DETAILS



**ISSUED FOR CONSTRUCTION**

CAD FILENAME: S:\jobs\2014\14226 - Leichhardt Park Childcare Centre\C - Drawings\14226\H02-SW&WASTE (4).dwg

REV	DATE	APPRD	REVISION DETAILS
4	08.03.16	TO	GRATED DRAIN ADDED
3	09.02.16	TO	SW PIT LEVELS ADDED
2	01.12.15	TO	ISSUED FOR CONSTRUCTION
1	22.07.15	TO	ISSUED FOR CONSTRUCTION
C	30.03.15	TO	ISSUED FOR TENDER

\* COPYRIGHT \*  
THE CONCEPTS AND INFORMATION CONTAINED IN THIS DOCUMENT ARE THE COPYRIGHT OF OLSEN INFRASTRUCTURE. USE OR DUPLICATION OF THIS DOCUMENT IN PART OR IN FULL WITHOUT THE WRITTEN PERMISSION OF OLSEN INFRASTRUCTURE CONSTITUTES AN INFRINGEMENT OF COPYRIGHT.  
  
DRAWING STATUS \*  
UNLESS THERE IS AN APPROVED SIGNATURE IN THE BOX PROVIDED THIS PLAN IS NOT VALID AND IS NOT FOR CONSTRUCTION.  
  
CAUTION \*  
THE INFORMATION SHOWN ON THIS PLAN MAY BE INSUFFICIENT FOR SOME TYPES OF DETAILED DESIGN. OLSEN INFRASTRUCTURE SHOULD BE CONSULTED AS TO THE SUFFICIENCY OF THE INFORMATION SHOWN HEREIN PRIOR TO THE COMMENCEMENT OF ANY WORKS BASED ON THIS PLAN.



P: 8007 6803  
F: 8007 6805  
M: 0413 040 150  
E: [torsten@olseninfrastructure.com.au](mailto:torsten@olseninfrastructure.com.au)  
[www.olseninfrastructure.com.au](http://www.olseninfrastructure.com.au)  
  
PO Box 552  
KELLYVILLE NSW 2155  
Unit 10, 14 Gladstone Road  
CASTLE HILL NSW 2154

ARCHITECT:  
**Dillon & Savage Architects**  
40 Quilton Rd, Manly, 2095  
Phone: (02) 9977 3714 Fax: (02) 9977 8215  
Email: [dsarcs@bigpond.net.au](mailto:dsarcs@bigpond.net.au)

CLIENT:  
**LEICHHARDT COUNCIL**  
7-15 Wetherill St, Leichhardt NSW 2040  
Phone: (02) 9367 9222 Fax: (02) 9367 9111  
Email: [leichhardt@lnc.nsw.gov.au](mailto:leichhardt@lnc.nsw.gov.au)

PROJECT:  
**LEICHHARDT PARK CHILD CARE CENTRE**

DRAWING TITLE:  
**STORMWATER DRAINAGE CONCEPT AND WASTE SERVICES PLAN**

DRAWING SCALE  
1:100  
  
DRAWN: TK  
DESIGNED: TK  
APPROVED: TO

DRAWING No. <b>H02</b>	SHEET: 3 OF 9
JOB NUMBER 14226	REV 4